



LLC NTN-SNR BEARINGS RUS



Timken YCJ 25 SGT Flange-Mount Ball Bearing Units

Bearing No. YCJ 25 SGT

YCJ 25 SGT Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	0.972
EAN	0087796265820
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10 Millimeter
Relubricatable	Yes
Insert Part Number	GYE25KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Square Flange Block; 25MM Bore; 99MM Bolt Circle; 69.8MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 34.1MM Length Thru Bore;



LLC NTN-SNR BEARINGS RUS

	Relubricatable; Double Land Riding Rubbe
Other Features	Single Row Normal Duty Wide Inner Race Corrosion Resistant Powder Coated Epoxy Finish
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	YCJ 25 SGT
Weight / LBS	2.136
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	1.343 Inch 34.1 Millimeter
d	0.984 Inch 25 Millimeter
Nominal Bolt Circle Diameter Round	3.9 Inch 99 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	2.748 Inch 69.8 Millimeter
Shaft Size d	0.984 in
Dimension D	2.563 in
Dimension E	1.575 in
Inside Ring Outside Diameter	1.334 in
Series	Industrial
Weight	2.07 lb
Seal Type	Shroud Seal
Total Length L	95.2 mm
Housing Width A	1.098 in
Bolt Hole Size N	10 mm
Flange Thickness A1	12.70 mm



LLC NTN-SNR BEARINGS RUS

Center of Bearing from Housing End A2	19.4 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Total Height	95.2 mm
Bolt Size	M10
Center of Bearing from Bearing End S	14.3 mm
Static Load Rating	1750 lbf
Dynamic Load Rating	3490 lbf